## In the Claims

Please amend the claims as follows:

1. (currently amended) A method for providing a program guide, the method comprising the steps of:

acquiring program guide data from a content provider;

locally storing the acquired program guide data;

transmitting a subset of the locally stored program guide data to a remote terminal;

receiving a request for an update to the subset from the remote terminal, wherein the update request is generated due to a channel change;

accessing the locally stored program guide to create the requested update; and transmitting the update to the remote terminal.

- 2. (previously presented) The method of claim 1 wherein the remote terminal is a settop box.
- 3. (canceled)
- 4. (previously presented) The method of claim 1, wherein the subset of the locally stored program guide data contains channel IDs for all the channels in the locally stored program guide and detailed program information for one of the channels in the locally stored program guide.
- 5. (previously presented) The method of claim 1, further comprising the steps of: periodically acquiring updates to the program guide data from the content provider; and

altering the locally stored program guide data such that the locally stored program guide conforms to the updates.

6. (previously presented) The method of claim 5, further comprising the step of:

transmitting a new subset to the remote terminal if an update received from the content provider altered data in the locally stored program guide data that was included in the subset previously transmitted to the terminal.

7. (currently amended) A method of providing a program guide, the method comprising the steps of:

allocating a cache memory for storage of a subset of program guide data; acquiring the subset of program guide data; storing the subset of program guide data in the cache memory; and processing the stored subset of program guide data to create a program guide; receiving a channel change request from a client; requesting a second subset of program guide data; receiving the second subset of program guide data; and storing the second subset of program guide data in the cache memory.

- 8. (previously presented) The method of claim 7, further comprising the step of: displaying the program guide to a client.
- 9. (canceled)
- 10. (previously presented) The method of claim 7, wherein the program guide data is remotely stored in a Mini-Headend unit.
- 11. (currently amended) A system for providing a program guide, the system comprising:

means for acquiring program guide data from a content provider;

means for locally storing the acquired program guide data;

means for transmitting a subset of the locally stored program guide data to a remote terminal;

means for receiving a request for an update to the subset from the remote terminal, wherein the update request is generated due to a channel change;

means for accessing the locally stored program guide to create the requested update; and

means for transmitting the update to the remote terminal.

12. (previously presented) The system of claim 11 wherein the remote terminal is a settop box (44).

## 13. (canceled)

- 14. (previously presented) The system of claim 11, wherein the subset of the locally stored program guide data contains channel IDs for all the channels in the locally stored program guide and detailed program information for one of the channels in the locally stored program guide.
- 15. (previously presented) The system of claim 11, further comprising:

means for periodically acquiring updates to the program guide data from the content provider; and

means for altering the locally stored program guide data such that the locally stored program guide conforms to the updates.

16. (previously presented) The system of claim 15, further comprising:

means for transmitting a new subset to the remote terminal if an update received from the content provider altered data in the locally stored program guide data that was included in the subset previously transmitted to the terminal.

17. (currently amended) A system for providing a program guide, the system comprising:

means for allocating a cache memory for storage of a subset of program guide data;

means for acquiring the subset of program guide data;

means for storing the subset of program guide data in the cache memory; and

means for processing the stored subset of program guide data to create a

program guide;

means for receiving a channel change request from a client;

means for requesting a second subset of program guide data;

means for receiving the second subset of program guide data; and

means for storing the second subset of program guide data in the cache
memory.

- 18. (previously presented) The system of claim 17, further comprising: means for displaying the program guide to a client.
- 19. (canceled)
- 20. (previously presented) The system of claim 17, wherein the program guide data is remotely stored in a Mini-Headend unit.